ExxonMobil Refining & Supply Company
Global Remediation – US Retail
4096 Piedmont Avenue #194
Oakland, California 94611
510.547.8196
510.547.8706 Fax
jennifer.c.sedlachek@exxonmobil.com

Jennifer C. Sedlachek
Project Manager

ExxonMobil
Refining & Supply

May 12, 2006

Ms. Rose-Marie Bordessa
3725 Mayette Avenue
Santa Rosa, California 95405

RE: Former Exxon RAS 7-0277/1101 Yulupa Avenue, Santa Rosa, California.

Dear Ms. Bordessa:

Attached for your review and comment is a document entitled ***Laboratory Analysis Results of Domestic Water Well Head Treatment System,*** dated May 12, 2006, for the above-referenced site. The document was prepared by Environmental Resolutions, Inc. (ERI) of Petaluma, California, and provides the analytical laboratory results for the second quarter 2006 groundwater sample collected from the domestic water well head treatment system located at 3725 Mayette Avenue, Santa Rosa, California. Thank you for your continued cooperation in providing access to sample your well.

These data were generated by ERI on behalf of ExxonMobil to comply with requirements of the Regional Board in accordance with state regulations. ExxonMobil makes no representations as to these data for any other purpose.

Water sample analytical results including analytical data sheets are provided quarterly to the office of the Regional Board. If you have any questions, please contact Ms. Jo Bentz of the Regional Board at 707.576.2838.

Sincerely,

For Jennifer C. Sedlachek
Project Manager

Attachment: ERI's Laboratory Analysis Results of Domestic Water Well Head Treatment System, dated May 12, 2006.

cc: w/ attachment
Ms. Jo Bentz, California Regional Water Quality Control Board, North Coast Region
Mr. Rose Ann Kowell

w/o attachment
Mr. James F. Chappell, Environmental Resolutions, Inc.

ENVIRONMENTAL RESOLUTIONS, INC.

May 12, 2006
ERI 210113JS.L36

Ms. Jennifer C. Sedlachek
ExxonMobil Refining & Supply – Global Remediation
4096 Piedmont Avenue #194
Oakland, California 94611

SUBJECT Laboratory Analysis Results of Domestic Water Well Head Treatment System, 3725 Mayette Avenue, Santa Rosa, California

Ms. Sedlachek:

At the request of Exxon Mobil Corporation (Exxon Mobil), Environmental Resolutions, Inc. (ERI) is providing the analytical laboratory results of the groundwater samples collected from the domestic water well head treatment system during second quarter 2006. The samples were collected by ERI and analyzed by a California state-certified laboratory, under Chain-of-Custody protocol, for volatile organic compounds (including benzene, toluene, ethylbenzene, and total xylenes), oxygenated compounds (including methyl tertiary butyl ether), and lead scavengers using Environmental Protection Agency (EPA) Method 524.2. Laboratory analysis results of the water sample are summarized on the attached table (Table 1).

Please contact Mr. James F. Chappell, ERI's project manager for this site, at (707) 766-2000 with any questions.

Sincerely,
Environmental Resolutions, Inc.

Karen J. Navarro
Technical Writer

James F. Chappell
Project Manager

Attachments: Table 1: Cumulative Domestic Well Sampling Data
Laboratory Analytical Report and Chain-of-Custody Record

cc: Ms. Rose-Marie Bordessa
Ms. Rose Ann Kowell
Ms. Jo Bentz, California Regional Water Quality Control Board, North Coast Region

TABLE 1
CUMULATIVE DOMESTIC WELL SAMPLING DATA
Former Exxon Service Station 7-0277
1101 Yulupa Avenue
Santa Rosa, California

Well ID	Sampling Date	Sample ID	TPHd (µg/L)	TPHg (µg/L)	MTBE (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	EDB (µg/L)	1,2-DCA (µg/L)	DIPE (µg/L)	Ethanol (µg/L)
W-1175	02/28/03		<50	<50.0	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<10.0
	09/19/03		---	---	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<0.50	<100
	11/26/03		---	---	0.60	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50	---
	12/05/03		---	---	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50	---
	12/5/03a		---	---	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10	<0.50	<0.50	<0.50	---
	02/12/04		---	---	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
	04/26/04		---	---	<0.50	<0.50	<0.50	<0.50	<1.00	<0.50	<0.50	<0.50	---	---	<0.50	---
	Sampling discontinued.															
W-3725	02/28/03		<50	<50.0	0.6	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<10.0
	04/01/03		---	---	<0.50	---	---	---	---	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
	05/21/03		<50	<50.0	1.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<10.0	---	---	<0.50	---
	09/02/03		---	---	21.1	0.80	<0.50	<0.50	<0.50	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	---
	09/19/03		---	---	21	0.77	<0.50	<0.50	<0.50	<0.50	<0.50	<20	<0.50	<0.50	<0.50	<100
	12/05/03		---	---	46.6	1.50	<0.50	<0.50	<0.50	<0.50	<0.50	12.9	<0.50	<0.50	<0.50	---
	02/12/04		---	---	39.5	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	15.5	<0.50	<0.50	<0.50	---
	04/26/04		---	---	16.2	<0.50	<0.50	<0.50	<1.00	<0.50	<0.50	<10.0	---	---	<0.50	---
	07/26/04		---	---	12.4	<0.50	<0.50	<0.50	<1.00	<0.50	<0.50	<10.0	---	---	<0.50	---
	10/18/04		---	---	<0.50b	<0.50b	<0.50b	<0.50b	<1.00b	<0.50b	<0.50b	<10.0b	---	---	<0.50b	<50.0b
	09/24/04	Wellhead treatment system installed.														
	01/13/05	W-INF	---	---	0.90	<0.50	<0.50	<0.50	<1.00	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
		W-INT	---	---	<0.50	<0.50	<0.50	<0.50	<1.00	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
		W-EFF	---	---	<0.50	<0.50	<0.50	<0.50	<1.00	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
	04/11/05	W-INF	---	---	0.60	<0.50	<0.50	<0.50	<1.00	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
		W-INT	---	---	<0.50	<0.50	<0.50	<0.50	<1.00	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
		W-EFF	---	---	<0.50	<0.50	<0.50	<0.50	<1.00	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
	07/11/05	W-INF	---	---	14.0	<0.50	<0.50	<0.50	<1.00	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
		W-INT	---	---	0.60	<0.50	<0.50	<0.50	<1.00	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
		W-EFF	---	---	<0.50	<0.50	<0.50	<0.50	<1.00	<0.50	<0.50	<10.0	<0.50	<0.50	<0.50	<50.0
	10/10/05	W-INF	---	---	15.6	<0.500	<0.500	<0.500	<1.00	<0.500	<0.500	5.01	<0.500	<0.500	<0.500	<100
		W-INT	---	---	1.64	<0.500	<0.500	<0.500	<1.00	<0.500	<0.500	<5.00	<0.500	<0.500	<0.500	<100
		W-EFF	---	---	<0.500	<0.500	<0.500	<0.500	<1.00	<0.500	<0.500	<5.00	<0.500	<0.500	<0.500	<100
	01/10/06	W-INF	---	---	2.07	<0.500	<0.500	<0.500	<1.00	<0.500	<0.500	<5.00	<0.500	<0.500	<0.500	<50.0
		W-INT	---	---	2.02	<0.500	<0.500	<0.500	<1.00	<0.500	<0.500	<5.00	<0.500	<0.500	<0.500	<50.0
		W-EFF	---	---	<0.500	<0.500	<0.500	<0.500	<1.00	<0.500	<0.500	<5.00	<0.500	<0.500	<0.500	<50.0
	04/11/06	**W-INF**	**---**	**---**	**<0.50**	**<0.50**	**<0.50**	**<0.50**	**<0.50**	**<0.50**	**<0.50**	**<20**	**<0.50**	**<0.50**	**<0.50**	**<100**
		W-INT	**---**	**---**	**<0.50**	**<0.50**	**<0.50**	**<0.50**	**<0.50**	**<0.50**	**<0.50**	**<20**	**<0.50**	**<0.50**	**<0.50**	**<100**
		W-EFF	**---**	**---**	**<0.50**	**<0.50**	**<0.50**	**<0.50**	**<0.50**	**<0.50**	**<0.50**	**<20**	**<0.50**	**<0.50**	**<0.50**	**<100**

TABLE 1
CUMULATIVE DOMESTIC WELL SAMPLING DATA
Former Exxon Service Station 7-0277
1101 Yulupa Avenue
Santa Rosa, California

Notes:

W-3725	=	Domestic well located at 3725 Mayette Avenue.
W-1175	=	Domestic well located at 1175 Harvard Drive.
TPHd	=	Total petroleum hydrocarbons as diesel analyzed using EPA Method 3510/8015B (modified).
TPHg	=	Total petroleum hydrocarbons as gasoline analyzed using EPA Method 8015B (modified).
MTBE	=	Methyl tertiary butyl ether analyzed using EPA Method 524.2.
BTEX	=	Benzene, toluene, ethylbenzene, and total xylenes analyzed using EPA Method 524.2.
ETBE	=	Ethyl tertiary butyl ether analyzed using EPA Method 524.2.
TAME	=	Tertiary amyl methyl ether analyzed using EPA Method 524.2.
TBA	=	Tertiary butyl alcohol analyzed using EPA Method 524.2.
EDB	=	1,2-Dibromoethane analyzed using EPA Method 524.2.
1,2-DCA	=	1,2-Dichloroethane analyzed using EPA Method 524.2.
DIPE	=	Di-isopropyl ether analyzed using EPA Method 524.2.
Ethanol	=	Ethanol analyzed using EPA Method 524.2.
µg/L	=	Micrograms per liter.
---	=	Not sampled/Not analyzed.
<	=	Not detected at or above the laboratory method reporting limit.
a	=	Duplicate sample collected from a different sampling location.
b	=	Analytical results suspect.

Sequoia Analytical

885 Jarvis Drive
Morgan Hill, CA 95037
(408) 776-9600
FAX (408) 782-6308
www.sequoialabs.com

21 April, 2006



James Chappell
Environmental Resolutions (Exxon)
601 North McDowell Blvd.
Petaluma, CA 94954

RE: Exxon 7-0277
Work Order: MPD0369

Enclosed are the results of analyses for samples received by the laboratory on 04/12/06 10:10. The samples arrived at a temperature of 4° C. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Christina Dell
Project Manager

CA ELAP Certificate #1210

Sequoia Analytical

885 Jarvis Drive
Morgan Hill, CA 95037
(408) 776-9600
FAX (408) 782-6308
www.sequoialabs.com

Environmental Resolutions (Exxon)	Project: Exxon 7-0277	MPD0369
601 North McDowell Blvd.	Project Number: 7-0277	**Reported:**
Petaluma CA, 94954	Project Manager: James Chappell	04/21/06 12:10

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
W-3725-EFF	MPD0369-01	Water	04/11/06 09:20	04/12/06 10:10
W-3725-INT	MPD0369-02	Water	04/11/06 09:40	04/12/06 10:10
W-3725-INF	MPD0369-03	Water	04/11/06 10:00	04/12/06 10:10

Sequoia Analytical

885 Jarvis Drive
Morgan Hill, CA 95037
(408) 776-9600
FAX (408) 782-6308
www.sequoialabs.com

Environmental Resolutions (Exxon)	Project: Exxon 7-0277	MPD0369
601 North McDowell Blvd.	Project Number: 7-0277	**Reported:**
Petaluma CA, 94954	Project Manager: James Chappell	04/21/06 12:10

W-3725-EFF (MPD0369-01) Water Sampled: 04/11/06 09:20 Received: 04/12/06 10:10

Purgeable Organic Compounds by EPA Method 524.2

Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Ethanol	ND	100	ug/l	1	6D13027	04/13/06	04/14/06	EPA 524.2	
tert-Butyl alcohol	ND	20	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
tert-Amyl methyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		*107 %*	*70-130*		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		*96 %*	*70-130*		"	"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4		*102 %*	*70-130*		"	"	"	"	

Sequoia Analytical

Morgan Hill, CA 95037
(408) 776-9600
FAX (408) 782-6308
www.sequoialabs.com

Environmental Resolutions (Exxon)	Project: Exxon 7-0277	MPD0369
601 North McDowell Blvd.	Project Number: 7-0277	**Reported:**
Petaluma CA, 94954	Project Manager: James Chappell	04/21/06 12:10

W-3725-INT (MPD0369-02) Water Sampled: 04/11/06 09:40 Received: 04/12/06 10:10

Purgeable Organic Compounds by EPA Method 524.2

Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Ethanol	ND	100	ug/l	1	6D13027	04/13/06	04/14/06	EPA 524.2	
tert-Butyl alcohol	ND	20	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
tert-Amyl methyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		*108 %*		*70-130*	"	"	"	"	
Surrogate: 4-Bromofluorobenzene		*94 %*		*70-130*	"	"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4		*100 %*		*70-130*	"	"	"	"	

Sequoia Analytical

885 Jarvis Drive
Morgan Hill, CA 95037
(408) 776-9600
FAX (408) 782-6308
www.sequoialabs.com

Environmental Resolutions (Exxon)	Project: Exxon 7-0277	MPD0369
601 North McDowell Blvd.	Project Number: 7-0277	**Reported:**
Petaluma CA, 94954	Project Manager: James Chappell	04/21/06 12:10

W-3725-INF (MPD0369-03) Water Sampled: 04/11/06 10:00 Received: 04/12/06 10:10

Purgeable Organic Compounds by EPA Method 524.2

Sequoia Analytical - Morgan Hill

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Ethanol	ND	100	ug/l	1	6D13027	04/13/06	04/14/06	EPA 524.2	
tert-Butyl alcohol	ND	20	"	"	"	"	"	"	
Methyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
Di-isopropyl ether	ND	0.50	"	"	"	"	"	"	
Ethyl tert-butyl ether	ND	0.50	"	"	"	"	"	"	
tert-Amyl methyl ether	ND	0.50	"	"	"	"	"	"	
1,2-Dichloroethane	ND	0.50	"	"	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.50	"	"	"	"	"	"	
Benzene	ND	0.50	"	"	"	"	"	"	
Toluene	ND	0.50	"	"	"	"	"	"	
Ethylbenzene	ND	0.50	"	"	"	"	"	"	
Xylenes (total)	ND	0.50	"	"	"	"	"	"	
Surrogate: Dibromofluoromethane		*109 %*	*70-130*		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		*94 %*	*70-130*		"	"	"	"	
Surrogate: 1,2-Dichlorobenzene-d4		*101 %*	*70-130*		"	"	"	"	

Sequoia Analytical

885 Jarvis Drive
Morgan Hill, CA 95037
(408) 776-9600
FAX (408) 782-6308
www.sequoialabs.com

Environmental Resolutions (Exxon)	Project: Exxon 7-0277	MPD0369
601 North McDowell Blvd.	Project Number: 7-0277	**Reported:**
Petaluma CA, 94954	Project Manager: James Chappell	04/21/06 12:10

Purgeable Organic Compounds by EPA Method 524.2 - Quality Control

Sequoia Analytical - Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 6D13027 - EPA 5030B P/T										
Blank (6D13027-BLK1)				Prepared & Analyzed: 04/13/06						
Ethanol	ND	52	ug/l							
tert-Butyl alcohol	ND	11	"							
Methyl tert-butyl ether	ND	0.25	"							
Di-isopropyl ether	ND	0.25	"							
Ethyl tert-butyl ether	ND	0.25	"							
tert-Amyl methyl ether	ND	0.25	"							
1,2-Dichloroethane	ND	0.25	"							
1,2-Dibromoethane (EDB)	ND	0.25	"							
Benzene	ND	0.25	"							
Toluene	ND	0.25	"							
Ethylbenzene	ND	0.25	"							
Xylenes (total)	ND	0.36	"							
Surrogate: Dibromofluoromethane	*2.57*		"	*2.50*		*103*	*70-130*			
Surrogate: 4-Bromofluorobenzene	*2.39*		"	*2.50*		*96*	*70-130*			
Surrogate: 1,2-Dichlorobenzene-d4	*2.04*		"	*2.00*		*102*	*70-130*			
LCS (6D13027-BS1)				Prepared & Analyzed: 04/13/06						
Ethanol	178	100	ug/l	165		108	70-130			
tert-Butyl alcohol	178	20	"	169		105	70-130			
Methyl tert-butyl ether	7.74	0.50	"	7.84		99	70-130			
Di-isopropyl ether	16.3	0.50	"	16.2		101	70-130			
Ethyl tert-butyl ether	16.3	0.50	"	16.4		99	70-130			
tert-Amyl methyl ether	16.3	0.50	"	16.3		100	70-130			
1,2-Dichloroethane	16.2	0.50	"	15.5		105	70-130			
1,2-Dibromoethane (EDB)	16.7	0.50	"	16.6		101	70-130			
Benzene	5.19	0.50	"	5.04		103	70-130			
Toluene	34.0	0.50	"	38.0		89	70-130			
Ethylbenzene	6.94	0.50	"	7.28		95	70-130			
Xylenes (total)	38.7	0.50	"	40.8		95	70-130			
Surrogate: Dibromofluoromethane	*2.61*		"	*2.50*		*104*	*70-130*			

Sequoia Analytical

885 Jarvis Drive
Morgan Hill, CA 95037
(408) 776-9600
FAX (408) 782-6308
www.sequoialabs.com

Environmental Resolutions (Exxon)	Project: Exxon 7-0277	MPD0369
601 North McDowell Blvd.	Project Number: 7-0277	**Reported:**
Petaluma CA, 94954	Project Manager: James Chappell	04/21/06 12:10

Purgeable Organic Compounds by EPA Method 524.2 - Quality Control

Sequoia Analytical - Morgan Hill

Analyte	Result	Evaluation Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 6D13027 - EPA 5030B P/T										
LCS (6D13027-BS1)				Prepared & Analyzed: 04/13/06						
Surrogate: 4-Bromofluorobenzene	*2.41*		*ug/l*	*2.50*		*96*	*70-130*			
Surrogate: 1,2-Dichlorobenzene-d4	*1.99*		"	*2.00*		*100*	*70-130*			
LCS Dup (6D13027-BSD1)				Prepared & Analyzed: 04/13/06						
Ethanol	229	100	ug/l	165		139	70-130	25	20	QC04, QC20
tert-Butyl alcohol	192	20	"	169		114	70-130	8	20	
Methyl tert-butyl ether	8.02	0.50	"	7.84		102	70-130	4	20	
Di-isopropyl ether	16.8	0.50	"	16.2		104	70-130	3	20	
Ethyl tert-butyl ether	16.9	0.50	"	16.4		103	70-130	4	20	
tert-Amyl methyl ether	16.9	0.50	"	16.3		104	70-130	4	20	
1,2-Dichloroethane	16.7	0.50	"	15.5		108	70-130	3	20	
1,2-Dibromoethane (EDB)	17.0	0.50	"	16.6		102	70-130	2	20	
Benzene	5.32	0.50	"	5.04		106	70-130	2	20	
Toluene	35.5	0.50	"	38.0		93	70-130	4	20	
Ethylbenzene	7.44	0.50	"	7.28		102	70-130	7	20	
Xylenes (total)	40.7	0.50	"	40.8		100	70-130	5	20	
Surrogate: Dibromofluoromethane	*2.66*		"	*2.50*		*106*	*70-130*			
Surrogate: 4-Bromofluorobenzene	*2.53*		"	*2.50*		*101*	*70-130*			
Surrogate: 1,2-Dichlorobenzene-d4	*2.02*		"	*2.00*		*101*	*70-130*			

Sequoia Analytical

885 Jarvis Drive
Morgan Hill, CA 95037
(408) 776-9600
FAX (408) 782-6308
www.sequoialabs.com

Environmental Resolutions (Exxon)	Project: Exxon 7-0277	MPD0369
601 North McDowell Blvd.	Project Number: 7-0277	**Reported:**
Petaluma CA, 94954	Project Manager: James Chappell	04/21/06 12:10

Notes and Definitions

QC20	The RPD was outside control limits.
QC04	The recovery was above the control limit by 9%.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference

CHAIN OF CUSTODY RECORD

MPDD369

TestAmerica INCORPORATED

(615) 726-0177

Morgan Hill Division

ExxonMobil

Consultant Name: Environmental Resolutions, Inc.
Address: 601 N McDowell Blvd
City/State/Zip: Petaluma, CA
Project Manager James Chappell
Telephone Number: (707) 766-2090
ERI Job Number: 2101 1300000
Sampler Name: (Print) Chris Ceccarelli
Sampler Signature:

ExxonMobil PM Jennifer Sedlachek
Telephone Number (510) 547-8196
Account #: 10228
PO #: 4505885615
Facility ID # 7-0277
Global ID# T0609700537
Site Address 1101 Yulupa Avenue
City, State Zip Santa Rosa, California,

Shipping Method: ☐ Lab Courier ☐ Hand Deliver ☑ Commercial Express ☐ Other:

TAT
☑ 24 hour ☐ 72 hour
☐ 48 hour ☐ 96 hour
☐ 8 day

PROVIDE:
EDF Report

Special Instructions:

Sample ID / Description	DATE	TIME	COMP	GRAB	PRESERV	NUMBER	Matrix: Water	Soil	Vapor	Analyze For: TPHd 8015B	TPHg 8015B	BTEX 8021B	MTBE 8021B	confirm mtbe 8260B	Oxygenates 8260B	Ethanol 524.2	Oxygenates 524.2	BTEX 524.2	MTBE 524.2
W-3725-EFF	4-11-06	920		X	HCL	6	X									X	X	X	X
W-3725-INT	4-11-06	940		X	HCL	6	X									X	X	X	X
W-3725-INF	4-11-06	1000		X	HCL	6	X									X	X	X	X

Relinquished by: Date 4-11-06 Time 2000 Received by: Time 4-12-06 1010

Relinquished by: Date 4-12-06 Time 1258 Received by TestAmerica: Time 1915

Laboratory Comments:
Temperature Upon Receipt: 3.2°C
Sample Containers Intact? Y
VOAs Free of Headspace? Y

SEQUOIA ANALYTICAL SAMPLE RECEIPT LOG

CLIENT NAME: ERI
REC. BY (PRINT) L.P.
WORKORDER:

DATE REC'D AT LAB: 4-12-06
TIME REC'D AT LAB: 0800 ~~PM~~ 19.15
DATE LOGGED IN:

For Regulatory Purposes?
DRINKING WATER YES / NO
WASTE WATER YES / NO

CIRCLE THE APPROPRIATE RESPONSE	LAB SAMPLE #	DASH #	CLIENT ID	CONTAINER DESCRIPTION	PRESERVATIVE*	pH	SAMPLE MATRIX	DATE SAMPLED	REMARKS: CONDITION (ETC.)
1. Custody Seal(s) Present / Absent; Intact / Broken*									
2. Chain-of-Custody Present / Absent*									
3. Traffic Reports or Packing List: Present / Absent									
4. Airbill: Airbill / Sticker Present / Absent									
5. Airbill #:									
6. Sample Labels: Present / Absent									
7. Sample IDs: Listed / Not Listed on Chain-of-Custody									
8. Sample Condition: Intact / Broken* / Leaking*									
9. Does information on chain-of-custody, traffic reports and sample labels agree? Yes / No*									
10. Sample received within hold time? Yes / No*									
11. Adequate sample volume received? Yes / No*									
12. Proper preservatives used? Yes / No*									
13. Trip Blank / Temp Blank Received? (circle which, if yes) Yes / No*									
14. Read Temp: 3.9C; Corrected Temp: 3.9C; Is corrected temp 4 +/-2°C? Yes / No**									

(Acceptance range for samples requiring thermal pres.)
**Exception (if any): METALS / DFF ON ICE or Problem COC

*IF CIRCLED, CONTACT PROJECT MANAGER AND ATTACH RECORD OF RESOLUTION.

SRL Revision 7
Replaces Rev 5 (07/13/04)